

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/612,484	07/02/2003	Candice B. Kissinger	P00727-US-01 (00872.0010)	3493
22446 7	590 01/25/2006		EXAM	INER
ICE MILLER	LLP AN SQUARE, SUITE 310		DESANTO, MATTHEW F	
INDIANAPOLIS, IN 46282-0200		,,,	ART UNIT	PAPER NUMBER
			3763	3763

DATE MAILED: 01/25/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

		(
	Application No.	Applicant(s)		
	10/612,484	KISSINGER ET AL.		
Office Action Summary	Examiner	Art Unit		
	Matthew F. DeSanto	3763		
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address		
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. tely filed the mailing date of this communication. D (35 U.S.C. § 133).		
Status				
1)	action is non-final. nce except for formal matters, pro			
Disposition of Claims				
4) ☐ Claim(s) 1-42 is/are pending in the application. 4a) Of the above claim(s) 18-40 is/are withdraw 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-17,41 and 42 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or				
Application Papers				
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) access Applicant may not request that any objection to the Replacement drawing sheet(s) including the correction of the order at the contraction of the contraction	epted or b) objected to by the Edrawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).		
Priority under 35 U.S.C. § 119				
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 				
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:			

Application/Control Number: 10/612,484 Page 2

Art Unit: 3763

DETAILED ACTION

Election/Restrictions

1. This application contains claims 18-40 are drawn to an invention nonelected without traverse in Paper dated 11/19/04. A complete reply to the final rejection must include cancellation of nonelected claims or other appropriate action (37 CFR 1.144) See MPEP § 821.01.

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 1-3, 14, 15, 41, and 42 are rejected under 35 U.S.C. 103(a) as being unpatentable over Reilly et al. (USPN 6,767,319), and further in view of Fahy et al. (USPN 6,187,529).

Reilly et al. discloses at least one syringe, at least one fluid reservoir, at least one valve, and at least one catheter, wherein the catheter is disposable (Figures 1A and entire reference), but Reilly et al. fails to disclose the use of pinch valves as the valves in the system.

Fahy et al. discloses the use of pinch valves instead of stopcock valves in a system that deals with infusing or perfusing fluids into organs or tissues. Fahy et al. discloses the benefit of using pinch valves also.

Application/Control Number: 10/612,484

Art Unit: 3763

At the time of the invention it would have been obvious for one of ordinary skill in the art to combine the system of Reilly et al. with Fahy et al. because Fahy et al. discloses the benefit of using a pinch type valve, which is the easy removal of the valve from the tubing (Fahy et al. Column 17, lines 21-38).

4. Claims 1-9, 12-17, and 41 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lang (USPN 5,609,572), and further in view of Fahy et al. (USPN 6,187,529).

Lang discloses at least one syringe, at least one fluid reservoir, at least one valve, and at least one catheter that is disposable, as well as multiple syringes, valves, fluid reservoirs, and syringe pumps and wherein the configuration is the same as the applicant's invention (Figures 7A, 9 and entire reference), but Lang fails to disclose the use of pinch valves.

Fahy et al. discloses the use of pinch valves instead of stopcock valves in a system that deals with infusing or perfusing fluids into organs or tissues. Fahy et al. discloses the benefit of using pinch valves also.

At the time of the invention it would have been obvious for one of ordinary skill in the art to combine the system of Lang with Fahy et al. because Fahy et al. discloses the benefit of using a pinch type valve, which is the easy removal of the valve from the tubing (Fahy et al. Column 17, lines 21-38)

Application/Control Number: 10/612,484

Art Unit: 3763

5. Claims 10-11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Reilly et al. in view of Fahy et al. as applied to the claims above, and further in view of Lang.

Reilly et al. and Fahy et al. discloses the claimed invention except for the use of multiple syringes with multiple valves associated with each syringe in the system.

Lang discloses the multiple syringes and multiple valves (Figures 7A, 9 and entire reference).

At the time of the invention it would have been obvious to one of ordinary skill in the art to combine the system of Reilly et al. and Fahy et al. with the teachings of Lang because Lang discloses the benefit of having multiple syringes with multiple valves to allow better regulation and control of many different types of medication, especially medication that are incompatible infusion solutions (column 2, lines 17-30).

Response to Arguments

6. Applicant's arguments with respect to the claims have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within

Application/Control Number: 10/612,484 Page 5

Art Unit: 3763

TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Matthew F. DeSanto whose telephone number is 571-272-4957. The examiner can normally be reached on Monday-Friday 9:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nick LUCCHESI can be reached on (571) 272-4977. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Matthew DeSanto Art Unit 3763 January 23, 2006

NICHOLAS D. LUGALIZAI SUPERMSORV PAT I TECKNOLOGY C